

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Rows
1	IS&R L1	11595	((422/55,56,57,58,68.1,81,82.05,100,101,102,103,104) or (436/43,52,53,63)).CC LS.	USPA T	2004/04/04 16:37			0
2	BRS L2	276	1 and microfluid\$	USPA T	2004/04/04 16:37			0
3	BRS L3	71	2 and (hydrophilic or hydrophobic) near4 (coat\$ or surface)	USPA T	2004/04/04 16:39			0
4	BRS L4	686	1 and (hydrophilic or hydrophobic) near4 (coat\$ or surface)	USPA T	2004/04/04 16:38			0
5	BRS L5	11	4 and silicate adj glass	USPA T	2004/04/04 16:39			0
6	BRS L6	0	3 and silicate adj glass	USPA T	2004/04/04 16:39			0
7	BRS L7	32	2 and syringe adj pump	USPA T	2004/04/04 16:39			0
8	BRS L8	314	1 and syringe adj pump	USPA T	2004/04/04 16:39			0
9	BRS L9	21	1 and trichlorosilane	USPA T	2004/04/04 16:40			0
10	BRS L10	6	2 and trichlorosilane	USPA T	2004/04/04 16:40			0
11	BRS L11	4	2 and octadecyltrichlorosilane	USPA T	2004/04/04 16:40			0
12	BRS L12	1	2 and flow adj guid\$	USPA T	2004/04/04 16:41			0
13	BRS L13	16	1 and flow adj guid\$	USPA T	2004/04/04 16:41			0
14	BRS L14	397	1 and photolithograph\$	USPA T	2004/04/04 16:41			0
15	BRS L15	159	2 and photolithograph\$	USPA T	2004/04/04 16:42			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
16	BRS	L16	50	3 and photolithograph\$	USPA T	2004/04/04 16:42			0
17	BRS	L17	121	4 and photolithograph\$	USPA T	2004/04/04 16:42			0